

THE ALL NEW CLAY SYSTEM FOR FACADE AND ROOF





About us

Crest - ABC Partnership

Crest have developed a strong working relationship with ABC Klinker Group one of our many European manufacturer partners, which has been built through a mutual respect and trust over many years. We have developed a range of building products which include facing bricks and pavers. The ABC Klinker Group, are a family-owned business in the brick and tile industry located in Germany. We look back on around 140 years of experience. Our product range is based on one of humans' oldest natural building materials - the clay.

Today, the ABC Klinker Group is in the sixth generation and manufactures various brick products at six plants in Germany. Our product portfolio includes facing bricks, brick slips, clay pavers, clinker roof tiles and floor ceramics.

Sustainability

The CREST-NORDIC® is a product that is made of natural raw materials. Clay from regional clay pits is used as well as renew-able energy in our production. Sustainability also plays a major role in the processing of the CREST-NORDIC®. The ceramic plate can be screwed onto a rear structure and removed at any time without leaving any residue.

We follow the "Cradle to Cradle" concept, which ensures that all materials that arise in the context of biological and technical cycles are used for subsequent cycles. This also makes the meaning of cradle to cradle understandable. Products are kept in a closed cycle from their creation to the end of their life cycle and are 100% re-used after use to develop the next product.

Innovative

The renaissance of bricks has shown that the brick as a building material has again successfully adapted to the new requirements and tasks of its time - that is why we are already working today on the brick products of tomorrow.

Crest are proud to be a main supplier of the new Nordic clay system for facade and roof.



About Crest Nordic

Clay System

The CREST-NORDIC® ceramic system is a homogeneous, durable "brick armor" with traditional material language in a modern brick design. A light and quick-to-use ceramic system with all the advantages of a ventilated facade. CREST-NORDIC® is easy to use and suitable for renovations and new buildings. It combines the materiality of the facade with the roof, so that the buildings appear to be made from a single piece.

- Permeable to diffusion
- Graffiti-resistant
- Fully recyclable
- · Made of natural raw materials
- · Can be dismantled and reused
- Available in different colours and formats on request

Product Features



Frost-resistant



Environmentally friendly



Water absorption ≥ 3%



Colour-fast



Weatherproof



Fire behaviour: Euro-class A1



Standardised

Tile Format

Length	400mm
Lengin	400111111
Width	175mm
Height	30mm
Material thickness	approx 14mm
Weight	approx 2.8kg
Lath spacing	approx 135mm*
Pieces per m ²	approx 18.65 pieces
Pallet requirements	288 pieces

Further formats on request.

^{*}The correct lath spacing must be determined at the construction site. Screw holes must be sufficiently covered.

Colours








Rust Red

Chimney Red

Classic

Variations in colour, play of colours and proportions may be possible due to production/printing reasons.



Colours








Vulcano


Narvik

Slate Black

Variations in colour, play of colours and proportions may be possible due to production/printing reasons.

Roof structure





Roof details

- **1** Gypsum plasterboard
- **2** Battens
- **3** Thermal insulation
- 4 Timber rafter
- Wooden cladding and waterproof sealing (Delta barrier film)
- Timber firring with waterproof sealing and Nail sealing tape/air gap
- **7** Battens
- (8) Crest-NORDIC tile


Variant of construction



Varient of construction

- Stainless steel countersunk-head screw 4.5 / 45mm
- Nail sealing tape
- Wedge plank
- Waterproof sealing
- Wooden lagging
- Counter battens
- Roof membrane
- Timber rafter






| Varient of construction

- 1 Asphalttreated chipboard | Celit 4D, ISOPROC
- 2 Counter battens / installing with wire pins
 - 3 Delta barrier film 17.5 / 25 cm

The photos are intended as a suggestion.
We are not liable for the installation of Crest Nordic



Detail view

Assembling



Exterior corner pointed



Roof view



Interior corner



Side view



External corner blunt



Detail view

Straight cut



Overlying gutter



Snow guard



Box gutter



Windowsill



Interior gutter
















Graffiti-Remover



Crest Nordic® is Graffiti Removable

Graffiti can be easily removed with Crest-Nordic® Graffiti-Remover. It has become part of the appearance of our cities and villages, but it is rarely welcome.

On the one hand, they rarely meet the aesthetic taste of the house wall owners and on the other hand their removal is usually very costly. Although it is hardly possible to prevent the mostly night-time spraying activities, by choosing the building material for the exterior wall one can at least ensure that they disappear as quickly as they came and after their use they are 100% reused for the development of the next product.

Thanks to the extremely high firing tempera-tures in the manufacturing process, our products have a surface that reliably prevents the penetration of colors of all kinds. This means that graffiti remains only on the surface and can be removed quickly and effortlessly above all without residue with the ABC graffiti remover.

Technical Support



Need help with your project? Please contact our team of experienced professionals.

Customer Service



Telephone: 01430 432 667

Opening times:

Mon - Fri: 8.30am to 5.00pm

Crest are members of the Builders Merchants Federation and UFEMAT





Crest Building Products
Howdenshire Way
Howden
East Yorkshire
DN14 7HZ









